

2022 ATVMX PRODUCTION STOCK CLASS CHART

ITEMS IN QUESTION

Revised 4.26.21

Yes: Allowed to change or modify

No: NOT allowed to change or modify; must remain OEM

NOTES

BODY AND CONTROLS

Add Foam (Mud Inhibitor)	Yes	
Bumper	Yes	
Clutch Cables	Yes	
Clutch Lever	Yes	
Decals	Yes	
Foot Pegs	Yes	
Grab Bar	Yes	
Grips	Yes	
Hand Guards	Yes	
Handlebars	Yes	
Handlebar Clamp	Yes	
Handlebar Risers	Yes	
Heal Guards	Yes	
Lights: Headlight or Brake	Yes	
Parking Brake	Yes	
Plastics	Yes	
Powder Coat / Paint	Yes	
Radiator Shrouds or Louvers	Yes	
Safety Reflectors	Yes	
Seat Covers	Yes	
Seat Foam or Pan	Yes	
Shift Lever	Yes	
Steering Flag	No	
Steering Stabilizer	Yes	
Steering Stem	Yes	
Skid Plates	Yes	
Throttle Housing	Yes	Includes switching to twist
BRAKES		
Brake Lines	Yes	
Brake Master Cylinder	No	
Brake Pads	Yes	
Brake Rotors	Yes	
Pedal / Levers	Yes	
Rear Brake Hub	No	
ENGINE		
Carburator	No	Jetting permitted
Carburator Float Bowl	No	
Cherry Bomb (Suz)	No	
Clutch Arm	No	
Clutch Basket (Primary Drive)	NO	Provided, use of 2009 Yamaha OEM replacement part allowed
Clutch Cover	No	
Clutch Plates	Yes	Must maintain OEM shape, design and material
Cylinder Bore Replating	Yes	
ECU	No	Flashing OEM ECU permitted

ECV (Exhaust Control Valve)	No	
Exhaust	No	Whole or part; May remove emissions pieces
Fuel Screw	No	
Ignition Cover	No	
Intake Spacer	No	
Internal Engine Modification	No	Including engine blue printing and crank balancing; Must use OEM replacement parts of same make and model
Leak Jet	No	
Muffler	No	
Oil Injection System	No	Must use oil
Reed Valves and Assembly	No	
Throttle Body	No	
Timing Plugs	Yes	
CHASSIS		
Air Box	No	May remove lid
Air Box Vent Tubes	Yes	
Air Filter	Yes	
Air Filter Screen	No	May not remove
Air Intake Boot	No	
Battery	Yes	
Bearings	Yes	Must maintain OEM shape, design, and material
Bearings: Ceramic	No	Unless sold on production quad
Breather Box	Yes	May move vent lines
Capacitor / Condenser	Yes	May add
Countershaft Cover / Case Saver	Yes	
Drain Bolts and Filler Plugs	Yes	cosmetic only
ECU Location	Yes	May move
Gas Tank Thermal Cover	Yes	
Oil Cooler	No	
Radiator	No	
Radiator Fan	No	
Radiator Hoses	Yes	
Solder Fuel Pump Connection	Yes	
Ti Bolts	No	Unless sold on production quad
Wiring Harness	Yes	
DRIVE		
Chains	Yes	
Sprockets	Yes	
Chain Guides	Yes	
Chain Rollers/ Sliders	Yes	
Sprocket Hub	No	
FRAME		
Frame	No	Material may be added for strength
Subframe	No	Material may be added for strength
Subframe Support Rails	Yes	
SUSPENSION		
A-Arms	No	
Bushings	Yes	Must remain same material as OEM
Internal Modifications	Yes	Respring and revalve only allowed; Compressed and extended length must maintain OEM spec.

Linkage	No	
Shock Springs	Yes	
Shock Valving	Yes	
Swingarm	No	
WHEELS AND AXLE		
Axle	Yes	
Front Hubs	No	
Front Spindles	No	
Rear Hubs	No	
Tires	Yes	
Wheels	Yes	
REQUIRED		
Kill switch	Yes	
Nerfbars	Yes	